

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	41	synchroniz\$5 and ldap and (propagat\$4 with director\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/01 16:49
L2	25	L1 and @ad<"20020110"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/01 16:49
L3	0	L2 and ((map\$4 or match\$3 or compar\$3)) and (707/3).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/01 16:50
L4	0	1 and (707/3).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/01 16:50
L5	1	1 and (707/6).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/01 16:50
L6	0	1 and (707/202).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/01 16:50
L7	1	1 and (707/203).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/01 16:50
L8	1	1 and (707/204).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/01 16:50


S1	2	synchroniz\$5 and ldap and (join\$3 with heterogeneous) and director\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/01 11:33
S2	878	synchroniz\$5 and ldap and director\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/01 09:38
S3	41	S2 and (propagat\$4 with director\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/01 09:44
S4	3	S3 and (propagat\$4 with operation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/01 09:39
S5	10	S2 and (propagat\$4 with operation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/01 09:39
S6	41	synchroniz\$5 and ldap and (propagat\$4 with director\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/01 11:05
S7	1	S6 and join\$3 and updat\$3 and ((scor\$3 or weight\$3) with (analysis or monitor or control\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/01 09:49
S8	6	S6 and join\$3 and updat\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/01 09:48

S9	0	S8 and @ad<"20020110"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/01 09:49
S10	1	S6 and ((scor\$3 or weight\$3) with (analysis or monitor or control\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/01 09:49
S11	25	S6 and @ad<"20020110"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/01 11:24
S12	0	S6 and @ad<"20020110" and ((scor\$3 or weight\$3) with (analysis or control\$4 or monitor\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/01 10:00
S13	1	S6 and @ad<"20020110" and ((scor\$3 or weight\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/01 11:05
S14	0	S11 and ((map\$4 or match\$3 or compar\$3) with synonym)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/01 10:04
S15	0	S11 and ((map\$4 or match\$3 or compar\$3) with similar)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/01 10:04
S16	22	S11 and ((map\$4 or match\$3 or compar\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/01 16:49

S17	7	S16 and (propagat\$4 with updat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/01 11:06
S18	54	synchroniz\$5 and ldap and (propagat\$4 with (hierarch\$3 or tree or director\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/01 11:05
S19	2	S18 and @ad<"20020110" and ((scor\$3 or weight\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/01 11:07
S20	14	S18 and (propagat\$4 with updat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/01 11:06
S21	7	S20 and @ad<"20020110"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/01 11:07
S22	0	S6 and @ad<"20020110" and (best with match\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/01 11:25
S23	0	S6 and @ad<"20020110" and ((scor\$3 or weight\$3) with match\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/01 11:25
S24	0	(propagat\$4 with updat\$3) and ldap and @ad<"20020110" and ((scor\$3 or weight\$3) with match\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/01 11:26

S25	12	(propagat\$4 with operat\$3) and ldap and @ad<"20020110" and ((scor\$3 or weight\$3) with match\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/01 11:27
S26	12	(propagat\$4 with operat\$3) and ldap and @ad<"20020110" and ((scor\$3 or weight\$3) with match\$3) and directory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/01 11:31
S27	1	(propagat\$4 with operat\$3) and ldap and @ad<"20020110" and ((scor\$3 or weight\$3) with match\$3) and directory and synchronization	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/01 12:42
S28	12	(propagat\$4 with operat\$3) and ldap and @ad<"20020110" and ((scor\$3 or weight\$3) with (map\$4 or compar\$3 or match\$3)) and directory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/01 11:33
S29	1	synchroniz\$5 and S28	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/01 13:00
S30	2	("6356892").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/01 12:12
S31	1	"262033".apn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/01 12:12
S32	12	(propagat\$4 with operat\$3) and ldap and @ad<"20020110" and ((scor\$3 or weight\$3) with match\$3) and directory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/01 12:46

S33	13	(propagat\$4 with operat\$3) and ldap and @ad<"20020110" and ((scor\$3 or weight\$3) with (match\$3 or map\$4 or search\$3 or quer\$3)) and directory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/01 15:10
S34	64	ldap and @ad<"20020110" and ((scor\$3 or weight\$3) with (match\$3 or map\$4 or search\$3 or quer\$3)) and directory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/01 13:01
S35	16	synchroniz\$5 and S34	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/01 13:18
S36	3	S35 and ((scor\$3 or weight\$3) with (analytic or control\$3 or monitor))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/01 13:02
S37	1	(match\$3 with synonym) and S34	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/01 13:19
S38	9	(propagat\$4 with operat\$3) and ldap and @ad<"20020110" and (updat\$3 with chang\$3) and directory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/01 15:11
S39	4	S38 and (cop\$3 and (chang\$3 with log))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/01 15:12



Web Results 1 - 10 of about 29 for **ldap propagating update match metadirectory**. (0.48 seconds)

NSF Middleware Initiative: Released for Public Review

... and updates are applied to records in an iPlanet Directory Server LDAP v3 ...
a metadirectory process can be leveraged to update core business systems. ...
middleware.internet2.edu/dir/metadirectories/rpr-nmi-edit-mace_dir-metadirectories_practices-1.0.html - 83k - Feb 27, 2005 - [Cached](#) - [Similar pages](#)

Metadirectory Practices for Enterprise Directories in Higher Education

... The updates are then applied to records in an iPlanet Directory Server LDAP
... metadirectory process can be leveraged to update core business systems. ...
middleware.internet2.edu/dir/metadirectories/internet2-mace-dir-metadirectories-practices-200210.htm - 113k - [Cached](#) - [Similar pages](#)

Microsoft Metadirectory Services

... service and support professional specializing in the metadirectory Product.
... earlier: Compass, an LDAP-enabled application, or a Web browser. ...
[support.microsoft.com/.../support.microsoft.com/com%2Fservicedesks%2Fwebcasts%2Fen%2Fwc080800%2Fwct080800.asp](#) - 59k - Feb 27, 2005 -
[Cached](#) - [Similar pages](#)

Microsoft Metadirectory Services Concepts and Architecture

... but the metadirectory is unable to update the user's title in applications,
... the administrative user interface that speaks LDAP to the metadirectory. ...
[students.estrellamountain.edu/larson/ms/ad2/ad2.htm](#) - 67k - [Cached](#) - [Similar pages](#)

[PDF] 26709 WELTMAN 00 i-xxii r4dc

File Format: PDF/Adobe Acrobat - [View as HTML](#)
... Utility Classes for Handling LDAP-Specific Entities. . . . 38 ... Some full-scale
metadirectory products are designed for. this purpose as well. ...
[files.nixp.ru/books/programming/java/Addison%20Wesley%20--%20LDAP%20programming%20with%20Java.pdf](#) - [Similar pages](#)

Active Directory, 2nd Edition > Wordlist

... planning, administration, architecture, OU, LDAP, global catalog, class, ...
metadata metadirectories metadirectory method methodname methodologies ...
[www.rallenhome.com/books/ad2e/wordlist.html](#) - 80k - [Cached](#) - [Similar pages](#)

Exchange 2000 Server - Corporate Backbone Scenario

... 2000 organizations, Microsoft Metadirectory Services (MMS) will be used. ...
of the backbone, administrative groups match routing groups one-to-one. ...
[www.microsoft.com/resources/documentation/exchange/2000/all/reskit/en-us/part5/c22corp.mspx](#) - 74k - [Cached](#) - [Similar pages](#)

News

... "Berbew") which is capable of turning infected PCs into pr0n or spam propagating
zombies. ... which was formerly known as Metadirectory Services 2003. ...
[cnscenter.future.co.kr/main/security-news/news/2003-07.html](#) - 129k - [Cached](#) - [Similar pages](#)

[PDF] Oracle9File Format: PDF/Adobe Acrobat - [View as HTML](#)... Metadirectories consolidate disparate information by **propagating** changes to... Directory Integration Toolkit, which allows third-party **metadirectory** ...zuse.esnig.cifom.ch/database/doc_oracle/Oracle901_Linux/network.901/a90153.pdf - [Similar pages](#)**[DOC] new MIIS 2003 GAL synchronization**File Format: Microsoft Word 2000 - [View as HTML](#)... By **propagating** users, contacts, and groups from one forest GAL as contacts... of the forests are imported into the **metadirectory** to create new objects. ...

download.microsoft.com/download/3/e/a/

3ea5244-5694-4551-b441-255043c0d006/MIIS_2003_GAL_synchronization.doc - [Similar pages](#)Result Page: [1](#) [2](#) [3](#) [Next](#)Free! Google Desktop Search: Search your own computer. [Download now.](#)**Find:** emails - files - chats - web history [Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2005 Google